

Economic and Social Council

Distr.: General 6 June 2018 English

Original: English and French

Economic Commission for Europe

Inland Transport Committee

Working Party on the Transport of Dangerous Goods

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

Draft amendments to annexes A and B of ADR

Corrigendum

1. Chapter 1.6, amendment to 1.6.1.40 to replace "subsidiary risk label" by "subsidiary hazard label"

Delete

2. Chapter 1.6, new transitional measure 1.6.1.44

Not applicable to English.

3. Chapter 1.6, new transitional measure 1.6.3.49

For nominal pressure of the bursting disc read burst pressure of the bursting disc

4. Chapter 1.6, after new transitional measure 1.6.3.53

Insert Renumber 1.6.3.50 as 1.6.3.100.

5. Chapter 1.6, new transitional measure 1.6.4.51

For nominal pressure of the bursting disc read burst pressure of the bursting disc

6. Chapter 1.8, amendment to 1.8.3.1

For the existing text *substitute*:

1.8.3.1 At the beginning, replace "the activities of which include the carriage, or the related packing, loading, filling or unloading, of dangerous goods by road" by "the activities of which include the consigning or the carriage of dangerous goods by road, or the related packing, loading, filling or unloading".

7. Chapter 2.1, new section 2.1.5

Not applicable to English.

8. Chapter 2.2, amendment to 2.2.51.1.3

For thirteenth indent read thirteenth and fourteenth indents

9. Chapter 2.2, amendment to 2.2.51.2.2, under the indent ending with "other than UN No. 2067;"

Insert

NOTE: The term "competent authority" means the competent authority of the country of origin. If the country of origin is not a Contracting Party to ADR, the classification and conditions of carriage shall be recognized by the competent authority of the first country Contracting Party to ADR reached by the consignment.

10. Chapter 2.2, 2.2.8.2.1, second occurrence

For 2.2.8.2.1 read 2.2.8.2.2

11. Chapter 2.2, amendment to 2.2.9.1.7, new sub- paragraph (g), after "cells or batteries"

Insert manufactured after 30 June 2003

12. Chapter 3.2, table A, for UN No 2071

Delete In Column (3b), insert "M11".

13. Chapter 3.2, table A, for UN No. 2381

For TP38 read TP39

14. Chapter 3.2, table A, for UN No. 3148

For TP39 read TP38

(E)".

15. Chapter 3.2, table A, for UN Nos. 3528, 3529 and 3530

For the existing text, substitute

```
For UN No. 3528, in Column (15), insert

"-
(D)".

For UN No. 3529, in Column (15), insert

"-
(B)".

For UN No. 3530, in Column (15), insert

"-
```

16. Chapter 3.3, amendment to special provision 251, sub-paragraph (a)

Not applicable to English.

17. Chapter 3.3, amendment to special provision 251, at the end of sub-paragraph (a)

Not applicable to English.

18. Chapter 3.3, amendment to special provision 307, second sentence

For thirteenth indent read thirteenth and fourteenth indents

19. Chapter 3.3, new special provision 388, fourth paragraph

Not applicable to English.

20. Chapter 3.3, new special provision 391

For 391 read 390-391

21. Chapter 3.3, in new special provision 392, in sub-paragraph (a), in the table (five times)

For ECE Regulation read UN Regulation

22. Chapter 3.3, in new special provision 392, in sub-paragraph (a), in the table, penultimate row, second column

For Hydrogen and fuel cell vehicles (HFCV) read Uniform provisions concerning the approval of motor vehicles and their components with regard to the safety-related performance of hydrogen-fuelled vehicles (HFCV)

23. Chapter 3.3, in new special provision 392, in sub-paragraph (b), Note 1

For ISO 11623:2015 Transportable gas cylinders – Periodic inspection and testing of composite gas cylinders read ISO 11623:2015 Gas cylinders – Composite construction – Periodic inspection and testing

24. Chapter 3.3, in new special provision 392, examples at the end

Not applicable to English.

25. Chapter 4.1, amendment to packing instruction P801

Not applicable to English.

26. Chapter 4.1, 4.1.4.1, new packing instruction P006

Not applicable to English.

27. Chapter 4.1, 4.1.4.3, new packing instruction LP03

Not applicable to English.

28. Chapter 4.3, 4.3.4.1.3, table, for Class 4.1, for UN Nos. ONU 3533 and 3534

Delete stabilized,

29. Chapter 4.3, 4.3.4.1.3, table, for Class 5.1, for UN No. 3375 (two entries)

Not applicable to English.

30. Chapter 5.2, 5.2.2.2.2, in the table, for Label model No. 2.1, in column "Division or Category"

Delete (except as provided for in 5.2.2.2.1.6 d))

31. Chapter 5.2, 5.2.2.2.2, in the table, for Label model No. 2.1, in columns "Symbol and symbol colour" and "Figure in bottom corner (and figure colour)" at the end

Insert (except as provided for in 5.2.2.2.1.6 (d))

32. Chapter 5.2, 5.2.2.2.2, table, for Class 4.1 hazard,

For solid desensitized explosives and polymerizing substances read polymerizing substances and solid desensitized explosives

33. Chapter 5.3, amendment to 5.3.1.2

For the existing text, substitute

- 5.3.1.2 In the title, after "containers,", insert: "bulk containers,".
- 5.3.1.2 Amend the first paragraph after the Note to read as follows:

"The placards shall be affixed to both sides and at each end of the container, bulk container, MEGC, tank-container or portable tank and to two opposite sides in the case of flexible bulk containers."

34. Chapter 6.2, 6.2.4.1, amendment related to standard EN ISO 17871:2015 and new standard EN ISO 17871:2015 + A1:2018

Delete

35. Chapter 6.2, 6.2.4.2, all amendments

For the existing text, substitute

6.2.4.2 In the table, delete the rows for "EN ISO 11623:2002 (except article 4", "EN 14912:2005" and "EN 1440:2008 + A1:2012 (except annexes G and H)".

36. Chapter 6.8, 6.8.2.1.23, first amendment

For the existing text, substitute

6.8.2.1.23 Replace the first two sentences by the following:

"The ability of the manufacturer to perform welding operations shall be verified and confirmed by either the competent authority or by the body designated by this authority. The ability of the maintenance or repair shop to perform welding operations shall be verified and confirmed by the inspection body according to 6.8.2.4.5. A weld quality assurance system shall be operated by the manufacturer or the maintenance or repair shop."

37. Chapter 6.8, amendment to 6.8.2.2.10

For the existing text, substitute

6.8.2.2.10 Amend the second paragraph to read as follows:

"Except for tanks intended for the carriage of compressed, liquefied or dissolved gases where the arrangement of the bursting disc and safety valve shall be such as to satisfy the competent authority, burst pressures of the bursting disc shall satisfy the following requirements:

- the minimum burst pressure at $20\,^{\circ}$ C, tolerances included, shall be greater than or equal to 0.8 times the test pressure;
- $-\,$ the maximum burst pressure at 20 $^{\circ}\text{C}$, tolerances included, shall be less than or equal to 1.1 times the test pressure; and
- the burst pressure at the maximum service temperature shall be greater than the maximum working pressure.

A pressure gauge or another suitable indicator shall be provided in the space between the bursting disc and the safety valve, to enable detection of any rupture, perforation or leakage of the disc.".

38. Chapter 6.8, 6.8.2.2.11

After Add the following new paragraph insert 6.8.2.2.11

39. Chapter 6.8, 6.8.2.6.1, amendment related to standard EN 13317:2002 + A1:2006 and new standard EN 13317:2018

Delete

40. Chapter 6.8, in the new indent under 6.8.5.1.2 (a)

For -40 °C read -60 °C